

CiteSeer

Find:

Documents

Citations

Searching for **templates list transform and report**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)
[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. **Order: relevance to query.**

[Automatic Extraction and Measurement of Leukocyte Motion in.. - Yoshinobu Satoy \(Correct\)](#)

(a) First frame: This image also shows five **templates** used for temporal registration described in a spatiotemporal image, and F (u v) its Fourier **transform**. Let F 01 f1g represent the Fourier inverse
www.med.osaka-u.ac.jp/pub/general/image/kawazoe/kinougazou/paper/leukocyte.ps.gz

[Efficient Goal Directed Bottom-up Evaluation of Logic Programs - Codish \(1998\) \(Correct\) \(5 citations\)](#)

of algorithms: Generalized Magic-sets [4]Magic **Templates** [21]Alexander **Templates** [25]Using this bottomup evaluation strategy with a Magic-set **transformation**, the evaluation strategy is specialized [24]Similar experiences have been **reported** in the area of program analysis where attempts
ftp.cs.bgu.ac.il/pub/people/mcodish/fastmagic.ps.gz

[Template-based Information Extraction from Tree-structured HTML.. - Yih \(1997\) \(Correct\)](#)

Template-based Information Extraction from
mobile.csie.ntu.edu.tw/~r4526048/Documents/thesis.ps.gz

[Shape-based Tracking and Analysis of the Aorta in Cardiac MR .. - Rueckert, Burger \(1996\) \(Correct\) \(1 citation\)](#)

Cardiac MR Images Using Geometrically Deformable **Templates** Daniel Rueckert and Peter Burger Imperial which its internal energy is 0. Any non-affine **transformation** of this equilibrium shape requires a
www.ipg.umds.ac.uk/d.rueckert/publications/conferences/CAR96a/postscript/paper.ps.gz

[The Representation and Recognition of Action Using Temporal.. - Davis, Bobick \(1997\) \(Correct\) \(59 citations\)](#)

and Recognition of Action Using Temporal **Templates** James W. Davis and Aaron F. Bobick MIT Media Laboratory Perceptual Computing Section Technical **Report** No. 402 Appears in: IEEE Conference on Computer 1992. whitechapel.media.mit.edu/pub/tech-reports/TR-402.ps.Z
whitechapel.media.mit.edu/pub/tech-reports/TR-402.ps.Z

[Automating The Subjective Recognition Of 500 Mb.. - Tag.. \(1996\) \(Correct\) \(1 citation\)](#)

developed by Bardossy et al (1995)in which "**templates**" are defined and used for pattern matching. The one **template** was sufficient for those cases. **transformed** into membership values as defined by a
www.nrlmry.navy.mil/~medex/cwaf-thbkb.ps

[Lip Modeling for Visual Speech Recognition - Ram Rao \(1994\) \(Correct\) \(8 citations\)](#)

the best fit model. This is similar to deformable **templates**, but we attempt to perform the minimization in users.ece.gatech.edu/users/rr/papers/asil94.ps.Z

[Content-Based Retrieval of Music and Audio - Foote \(1997\) \(Correct\) \(39 citations\)](#)

to a query sound. Sounds are characterized by "**templates**" derived from a tree-based vector quantizer by similarity and the results presented as a ranked list as in conventional text retrieval. Section 3.1 8 The audio waveform, sampled at 16 kHz, is thus **transformed** into a sequence of 13-dimensional feature
svr-www.eng.cam.ac.uk/~jtf/papers/spie97.ps.gz

[Magic Sets With Full Sharing - Azevedo \(1996\) \(Correct\) \(2 citations\)](#)

proposals to more general techniques, e.g. magic **templates** [11]2. Magic Sets & Tabulation In the Magic is a pointer for each magic fact pointing to the list of parameters. Two binary conjunctions between the the EDB: par(a b)par(b c)par(c d)The **transformed** program according to the standard adornment
www.di.uminho.pt/~pja/ps/sub.ps.gz

[Unknown - \(Correct\)](#)

to it sometimes yields results. 2.5 Optional **Templates** to Create a Proposal. UNIX Only It is possible From the File menu, select Collate PS. A dialog box lists the forms and allows you to add one or two

<ftp.cs.uiowa.edu/pub/nsf/Software.ps>

Reverse Communication Interface for Linear Algebra.. - Dongarra, Eijkhout.. (1995) (Correct) (3 citations)
Reverse Communication Interface for Linear Algebra **Templates** for Iterative Methods Jack Dongarra of Tennessee May 18, 1995 1 Introduction In this **report** we describe a reverse communication interface for in particular: ffl more comprehensive error **reporting**, ffl examples with different storage <netlib.uow.edu.au/lapack/lawns/lawn99.ps>

Shape Matching by Elastic Deformation - Santini, Sanz, Bimbo (1994) (Correct)
based on elastic deformation of a model or **template**. Deformations of the given **template** are <vision.ucsd.edu/~ssantini/articles/vision/OCR-trep.ps.Z>

Mother of PERL: A Multi-tier Pattern Description Language - Doran, Niv, Baldwin.. (1996) (Correct) (2 citations)

the information necessary to fill a predefined **template** or to populate a database. The process of IE is past participial, properties Property **list** of discourse entity of BracketsN (is person, is and Mitchell P. Marcus. 1995. Text Chunking using **Transformation-Based Learning**. In Proceedings of the www.cis.upenn.edu/~jcreynar/ldie97.ps.gz

ROSA = Reuse of Object-oriented Specifications.. - Tessem.. (1994) (Correct)
uses his capability to do analogical reasoning to **transform** previous solutions to new ones, and thus he is Norway Email: Analogi@ifi.uib.no Issn 0803-6489 **Report** No. 16 March 1994 Abstract Reuse Of Software projects for reuse in new projects. This **report** sets the context of the project and defines its www.ifi.uib.no/projects/rosa/../../ref/IFI-16.ps.gz

Stable Power Domains - Heckmann (1998) (Correct)
P f X in terms of second order predicates, and **transform** it into a filter representation P \Phi X and a shortened and generalized version of the technical **report** [9]It is more general, because the **report** shows **report** [9]It is more general, because the **report** shows P k X PX for a special class of www.cs.uni-sb.de/RW/users/heckmann/papers/stable.ps.gz

Note on the Preliminary Version of the Meyer-Muller's.. - Joye, Quisquater (1996) (Correct) (1 citation)
Shortly after, Williams [6] showed how to **transform** the Rabin's function to a one to one. The Groupe Regards Technical **Report** Cg-1996/2 Ucl Crypto Group Technical **Report** **Report** CG-1996/2 UCL Crypto Group Technical **Report** Series [www.dice.ucl.ac.be/crypto/Place du](http://www.dice.ucl.ac.be/crypto/Place%20du%20dice.ucl.ac.be/crypto/tech_reports/CG1996_2.ps.gz) www.dice.ucl.ac.be/crypto/tech_reports/CG1996_2.ps.gz

Decomposition of Representations of CAR Induced by Bogoliubov.. - Böckenhauer (1994) (Correct) (1 citation)
P P1 P2 P3 :We obtain the following **list** of products by using Eqs. 13)14) and (15)P Fock representation, a non-surjective Bogoliubov **transformation** of CAR leads to a reducible preprints.cern.ch/archive/electronic/hep-th/9410/9410017.ps.gz

Testing Simple Hypotheses - Wolpert (1996) (Correct) (2 citations)
S to reflect the strength of the evidence and **reporting** a conditional error probability, given the S that makes the Conditional Frequentist error **reports** identical to Bayesian posterior probabilities of and Pre-exp Freq: If $X \geq R$, then Reject H_0 and **report** error probability $\mathbb{P}_0[X \geq R]$ If $X = 2R$, ftp.isds.duke.edu/pub/WorkingPapers/95-10.ps

Neural Mechanisms Underlying Processing in the Visual Areas of.. - Wallis (1994) (Correct)
from that of the object based 2D **transformable templates** model of Ullman and others. It should not be friends as well as colleagues, I have prepared a **list** of those whom I shall think of in years to come. a system might learn to recognise 'naturally' **transformed** objects, I investigate a model of cortical ftp.mpik-tuebingen.mpg.de/pub/guy/all.ps.Z

Multiresolution Analyses And Wavelets For Density.. - Anestis Antoniadis.. (1991) (Correct) (1 citation)
phrases. Probability density functions, wavelet **transform**, multiresolution analysis, nonparametric Numerical Experiments And The Results Will Be **Reported** Elsewhere. Wavelets For Density Estimation density. We had to consider larger samples: we **report** below some results for density estimates on ftp.imag.fr/pub/SMS/density.ps.gz

First 20 documents [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)



Find:

Documents

Citations

Searching for **templates list and transform w/8 report**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

No documents match Boolean query. Trying non-Boolean relevance query.

500 documents found. Order: relevance to query.

[Characterization of Contention in Real Relational Databases - Singhal, Smith \(1994\) \(Correct\)](#)

1. We sort the N lockable items into two sorted lists-one sorted by the frequency of Cursor locks
Relational Databases Vigyan Singhal Alan Jay Smith **Report** No. UCB/CSD 94/801 March 21, 1994 Computer
control behavior of real workloads. In this **report**, we present a study of three database workloads,
ic.eecs.berkeley.edu/pub/Memos_ERL/csd94-801.ps.Z

[Units Of Dialogue Management: An Example - Heisterkamp, McGlashan \(1996\) \(Correct\) \(4 citations\)](#)

the contextual interpretation can forward a list of possible interpretations. So far, we have not
Technischer Bericht F3-95-014 (Internal **report**) 16. Wachtel, T. assumed authorship) 1995)
www.sics.se/~scott/papers/icslp96.ps

[Run-Time Parallelization Of Irregular Doacross Loops - Jeyaraman, Krothapalli.. \(1996\) \(Correct\)](#)

The inspector also builds an array L of linked lists, where L[j] contains a list of those iterations
into subsets called wavefronts. The executor is a **transformed** version of the source code loop structure
ftp.csd.uwo.ca/pub/mwgd/doacross.ps

[Future Research Directions In Problem Solving.. - Gallopoulos, Houstis.. \(1991\) \(Correct\) \(3 citations\)](#)

mathematics, and scientific software. The **reports** listed below provide the background for the present
using a mouse)to use symbolic processing to **transform** it from nonlinear to linear form to discretize
Report of a Workshop on Research Directions in
polaris.cs.uiuc.edu/reports/1259.ps.gz

[Adaptive Wavelet Estimation: A Block Thresholding And Oracle.. - Cai \(1998\) \(Correct\) \(9 citations\)](#)

an associated exact orthogonal Discrete Wavelet **Transform** (DWT) that **transforms** sampled data into wavelet
the same results. For the reasons of space, we **report** in Table 1 only the numerical results for SNR =
compactly supported wavelet Symmlet 8. Table 1 **reports** the average squared error over 20 replications
www.stat.purdue.edu/people/homepages/tcai/paper/block-oracle.ps

[Motion Estimation Using Complex Wavelets - Magarey, Kingsbury \(1995\) \(Correct\) \(9 citations\)](#)

a full density motion field. The table below, which lists error angles as mean \Sigma standard deviation,
digital video. A complexvalued Discrete Wavelet **Transform** is used to decompose each frame into a
estimation using complex wavelets. Technical **Report** TR-226, Cambridge University Engineering
www.cssip.edu.au/~jfam/papers/icassp96.ps.Z

[Automatic Differentiation Bibliography - Corliss \(1991\) \(Correct\) \(1 citation\)](#)

for partial derivatives of functions using **transformations** of a graph, Transactions of Information
derivative generator.Computing Science Technical **Report** No. 28, Bell Telephone Laboratories, Murray Hill,
plus compiler of differentiable expressions, tech. **report**, Mathematics Research Center, University of
info.mcs.anl.gov/pub/tech_reports/reports/TM167.ps.Z

[Evaluation of EDPEPPS Prototype Toolset - Zemerly, Justo, al. \(Correct\)](#)

: 11 4 Summary 14 A Listings of the IDD Tasks Files 16 A.1 Listing of
can experiment with the toolset starting from the **transformed** design rather than designing the application
Evaluation of Portable Parallel Software **Report** Number :EDPEPPS/38 Deliverable Number :7.1.2
www.cpc.wmin.ac.uk/~edpepps/reports/edpepps38.ps.gz

[COMPTTEL Observations of the Crab and Vela Pulsars - Bennett Aarts \(Correct\)](#)

(1991)period folding of the event arrival times **transformed** to the solar system barycentre is performed
with the variation in spectral slope for Peak-2 as **reported** by EGRET at higher energies. Note that the
wwwgro.unh.edu/users/mmconne/papers/bennett_aas_v97_p317.ps

Validation Of The Spalart-Allmaras Turbulence.. - Paciorni.. (1997) (Correct)

about the Spalart and Allmaras model are **reported** in 4.3. Implementation The model has been of the turbulent model in the VKI-MB code are **reported** in 8.4. Results 4.1 Boundary layer AEows To AEow conditions and other test case parameters are **reported** in the table 2. Table 2: Hollow-cylinder
ftp.vki.ac.be/pub/publications/96-97/RE/1997-33.ps.gz

A Group-Theoretic Framework for the Construction.. - Calderbank.. (1997) (Correct) (4 citations)

are labeled "3)in Table I. 6. A table Table I lists the parameters of the packings constructed in group O =O(V R)For a b 2 U we define **transformations** X(a) 2 O, Y (b) 2 O by X(a) e u le ua
www.research.att.com/~trmaster/.TRs/97/97.15/97.15.1.body.ps

The Luttinger-Schwinger Model - Grosse, Langmann, Raschhofer (1996) (Correct)

and show how the existence of large gauge **transformations** implies a fermion condensate in all
mpej.unige.ch/mp_arc/c/96/96-447.ps.gz

Model-Based Neural Networks For Invariant Pattern Recognition - Squire (1996) (Correct) (1 citation)

. 23 2.3.3 Filters Based On Multiple **Templates** .25 2.4 Parts
.157 Bibliography List Of Figures Vii List Of Figures 1.1 A Classical
have responses which are invariant to specified **transformations** of the input data. Such networks can be
cuiwww.unige.ch/~squire/publications/thesis/preamble.ps.gz

How to Strengthen DES Using Existing Hardware - Biham, Biryukov (1994) (Correct) (14 citations)

with the same highest probability are listed separately. The italicized digits specify active
The concept of key-dependent invariant S-box **transformation** was introduced. We showed several ways to
(DES) and its Strength Against Attacks, technical **report**, IBM Thomas J. Watson Research Center, RC 18613
www.info-sec.com/crypto/./crypto/CS0816.ps.gz

Computational Methods for the Design and Control.. - Böhringer.. (Correct)

that perform cyclic, gaitlike motions. We **report** on manipulation experiments in which the tasks of
methods for their design and control. This paper **reports** on progress towards computational MEMS, by
can be generated using very simple fields. We **report** on our experiments in implementing this theory
simon.cs.cornell.edu/Info/People/brd/CSE/cse97.ps.gz

Possessive Affixes and Complement Composition - Kolliakou (Correct)

are defined as having their argument structure **list** correspond to the concatenation of their valence
All Remaining Errors Are My Own. The Research **Reported** Here Was Supported By Eu Tmr Grant No.
grid.let.rug.nl/~kersten/kolliakou.ps

Performance Evaluation and Modeling of MPI Communications .. - Folino, Spezzano, Talia (Correct)

Passing Performance on Various Computers"Tech. **Report** UT/CS-95-229, Computer Science Dept.University
isi-cnr.deis.unical.it:1080/~talia/hpcn98.ps

Applying ILP-based Techniques to Natural Language Information .. - Califf, Mooney (1997) (Correct) (1 citation)

only a corpus of documents paired with filled **templates**, Rapier Robust Automated Production of
extracted is described by a **template** specifying a **list** of slots to be filled. For example, Figure 1 shows
a single number measurement for IE systems. We **report** the precision, recall, and F-measure with
www.cs.kuleuven.ac.be/~lucdr/filp-papers/calliff.ps

Gardens' Autobahn: Efficient and Safe Streaming of Data .. - Szyperski, Roe, Chan.. (Correct)

Abstraction Called Packers. For Example, Type **List** =Pointer To Record Next: **List** End Global
array-shaped data. On-the-fly reshaping can **transform** the communicated data at little extra cost into
for complex distributed data structures. Technical **Report** CR-TR-3438, University of Maryland: Department of
www.plasrc.qut.edu.au/Gardens/pub/ACAC98.ps.gz

A Path Selection Method in ATM using Pre-Computation - Olivier Crochat (1995) (Correct) (5 citations)

method is based on an algorithm that pre-computes a **list** of routes for each node in the network. We then
Method in ATM using Pre-Computation. Technical **Report** TR-95/128, LRC-DI, EPFL, Lausanne, Switzerland,
lrcwww.epfl.ch/PS_files/TR95_128.ps.gz

First 20 documents [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

[Sign in](#)
[Web](#)
[Images](#)
[Groups](#)
[News](#)
[Froogle](#)
[Local](#)
[New!](#)
[more »](#)

+"templates list" +transform +report

Search

[Advanced Search](#)
[Preferences](#)
WebResults 1 - 10 of about **542** for +"**templates list**" +**transform** +**report**. (0.41 seconds)

Microsoft Visio 2002 Resource Kit: Chapter 11 - Corporate Error ...

... then confirming that Office10.adm is included in the Current Policy **Templates list**. ... If the location is not valid, DW.exe will not **report** a crash. ...

www.microsoft.com/technet/prodtechnol/

Visio/Visio2002/reskit/CH11.msp - 55k - [Cached](#) - [Similar pages](#)

Microsoft - Reporting Office Application Crashes

... that Office10.adm is included in the Current Policy **Templates list**. ... be deployed to users through a **transform** (MST file ... not valid, DW.exe will not **report** a crash ...

www.microsoft.com/resources/documentation/

office/xp/all/reskit/en-us/adma05.msp - 39k - Supplemental Result
 - [Cached](#) - [Similar pages](#)

Sponsored Links**Report Templates**

Upgrade the look of your reports
 Works with Microsoft Office
 WriteExpress.com

Report Template

Find **report** template at Plexxa
 Fast, accurate results!
www.plexxa.com

Report Template

Examples for **Report** Template
 Query VBA Form **Report** Code help
www.BlueClaw-DB.com

Altova StyleVision XSLT Design for Word/RTF

It's easy to **transform** XML and database data into Word documents or RTF (Rich ... NEW Read the InfoTrends/CAP Ventures **report**, XSLT 2.0: Understanding the ...

www.altova.com/features_XSLT_RTf_s.html - 31k -

[Cached](#) - [Similar pages](#)

[PDF] White Paper

File Format: PDF/Adobe Acrobat - [View as HTML](#)

ing a database **Report** with output in HTML, Word/RTF, and PDF as easy as designing any SPS. ... StyleVision 2005 populates the global **templates list** ...

www.altova.com/whitepapers/stylevision.pdf - Supplemental Result - [Similar pages](#)

XF.NET SDK Tutorial and QuickStarts

Demonstrates how to **transform** XML using a stylesheet and then feed this input ... n"); } catch (Exception e) { // **Report** any errors that may occur Console. ...

www.ecrion.com/XF/TechnicalResources/XFNETTutorial.aspx - 81k - Nov 15, 2005 -

[Cached](#) - [Similar pages](#)

Training Tools 4.0

... **list**. ... written comments parser in Documentation that the file." edited **report** is is ...

Three programs within this suite can **transform** a so-so presentation into an ...

www.fxstyle.com/email-information/desc/indexN7831.html - 65k - Supplemental Result -

[Cached](#) - [Similar pages](#)

incorrect-icon-loading - kde.me.uk

find name of icon for "Object Frame > **Report** Template Generator" ... find icon names for "**Transform**", "Close Path" kompare - "blend url with diff" ...

www.kde.me.uk/index.php?page=incorrect-icon-loading - 12k - [Cached](#) - [Similar pages](#)

Conformance Assessment of HomeSite 4.0.1

4.5 Allow the author to **transform** presentation markup or misused markup ... edit, and remove abbreviations from the "Code **Templates**" **list** by invoking the ...

www.w3.org/WAI/AU/reviews/homesite - 59k - [Cached](#) - [Similar pages](#)

[Swish-Tutorials :: Help Forum - Downloads - Plugins - Templates ...](#)

... Swish-Tutorials :: Help Forum - Downloads - Plugins - **Templates** - List of Topics (click here to view the list with ... **transform** image scroller and images, ... **Report**, ...

www.swish-tutorials.com/forum/sitemap.php?limit=NO& - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

[Using Non-IOS Configuration Templates](#)

Ethernet encapsulation **transform** ... enable—Use this setting to delay sending a stop **report** to the server when a client device disassociates from the access ...

www.cisco.com/univercd/cc/td/doc/product/rtrmgmt/cwparent/cw_1105/wlse/2_9/u_gd/tempnnon.htm - 499k - [Cached](#) - [Similar pages](#)

Google

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) ^{New!} [more »](#)

+~templates ~list" +~transform +~report +~gu

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 1,190 for +~templates ~list" +~transform +~report +~guide +~task +~audit. (0

Microsoft Visio 2002 Resource Kit: Chapter 11 - Corporate

Error ...

Note To properly configure permissions and **security** settings, ... Perhaps one of the easiest **tasks** to perform in Corporate Error **Reporting** is to **report** ...

www.microsoft.com/technet/prodtechnol/

Visio/Visio2002/reskit/CH11.msp - 55k - [Cached](#) - [Similar pages](#)

Microsoft - Reporting Office Application Crashes

... Office10.adm is included in the Current Policy **Templates** list. ... be deployed to users through a **transform** (MST file ... **report**, you can probably just **report** all the ...

www.microsoft.com/resources/documentation/

office/xp/all/reskit/en-us/adma05.msp - 39k - Supplemental Result - [Cached](#) - [Similar pages](#)

Sponsored Links

Report Audit

Free **Report Audit** info.

Find what you're looking for!

www.plexxa.com

Audit Report

Audit Report

Start your search here.

zimplify.com

Audit Reports

Legal Information on **Audit Reports**

Consequences of the **Audit**

www.legal-term.com

phpMySearch manual

It is strongly recommended you change these to maintain **security**. ... To **transform** PDF files into HTML you can use this url: ...

www.desertmuseum.org/search/manual/ - 30k - [Cached](#) - [Similar pages](#)

[PDF] HP OpenView Service Desk 4.5

File Format: PDF/Adobe Acrobat - [View as HTML](#)

guide you can install, configure and perform the various **tasks** available ... will be **reported** and no file will be created. OpenView Operations for ...

ovweb.external.hp.com/ovnsmdps/pdf/sd45_jag_eng.pdf - [Similar pages](#)

[PDF] Wise for Windows Installer Reference Manual

File Format: PDF/Adobe Acrobat - [View as HTML](#)

performing common **tasks**. For details on using **help**, see Check Online ... Windows

Installer **transform**, which changes a Windows Installer package at runtime ...

www.altiris.com/docs/support/wise/6.0/WfWI.pdf - [Similar pages](#)

Making the Most of the CLR

Security · SQL Server Profiler · Storage · **Task** Automation and Scripting ... get SQL Server Magazine and get the 69 Top SQL Server **Tips Guide** FREE ...

lists.sqlmag.com/?ctl=82FE:7B3DB - 103k - Supplemental Result - [Cached](#) - [Similar pages](#)

[PDF] https://zinc.isc-seo.upenn.edu/wi/OnlineGuides/EN/...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)

User Guide for Resource Manager Essentials 4.0 - Making and ...

1 2) **Transform** system-defined **task**. 1 3) Crypto Map system-defined **task**. ... See "SNMP **Security Configuration Task**" to configure the SNMP **security**. ...

www.cisco.com/en/US/products/sw/cscowork/

ps2073/products_user_guide_chapter09186a0080357772.html - 513k -

[Cached](#) - [Similar pages](#)

[PDF] literature.rockwellautomation.com/idc/groups/liter...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)

[PDF] [<oXygen/> User Manual](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)


Populates the **Templates list** to show templates supplied with the <oXygen/> in- ... enabled
<oXygen/> will be able to validate and **transform** documents ...

www.oxygenxml.com/doc/oXygenUserGuide-standalone-en.pdf - Nov 14, 2005 -

[Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

+ "~templates ~list" +~transform +~re [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) ^{New!} [more »](#)

+~templates ~list" +~transform +~report

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 269 for +~**templates ~list**" +~**transform** +~**report**. (0.24 seconds)

[Microsoft Visio 2002 Resource Kit: Chapter 11 - Corporate Error ...](#)

With Corporate **Error Reporting**, administrators can then **review** the types of program ... that Office10.adm is included in the Current Policy **Templates list**. ...

www.microsoft.com/technet/prodtechnol/

Visio/Visio2002/reskit/CH11.msp - 55k - [Cached](#) - [Similar pages](#)

[Microsoft - Reporting Office Application Crashes](#)

... Office10.adm is included in the Current Policy **Templates list**. ... be deployed to users through a **transform** (MST file ... **report**, you can probably just **report** all the ...

www.microsoft.com/resources/documentation/

office/xp/all/reskit/en-us/adma05.msp - 39k - Supplemental Result - [Cached](#) - [Similar pages](#)

Sponsored Links

[Report Templates](#)

Upgrade the look of your reports

Works with Microsoft Office

WriteExpress.com

[Report Template](#)

Find **report** template at Plexxa

Fast, accurate results!

www.plexxa.com

[Report Template](#)

Examples for **Report** Template

Query VBA Form **Report** Code help

www.BlueClaw-DB.com

[Altova StyleVision XSLT Design for Word/RTF](#)

Design multiple stylesheets and database **reports** with ease using

Altova ... It's easy to **transform** XML and database data into Word

documents or RTF (Rich ...

www.altova.com/features_XSLT_RTF_s.html - 31k -

[Cached](#) - [Similar pages](#)

[Altova StyleVision XSL:FO Design](#)

Transformation from an XML format to PDF format is a commonly performed operation ...

StyleVision® 2005 populates the global **templates list** with the global ...

www.altova.com/features_XSLFO_s.html - 28k - Nov 14, 2005 - [Cached](#) - [Similar pages](#)

[XF.NET SDK Tutorial and QuickStarts](#)

Send error **reports**, feature requests, and comments about the SDK ... XF Designer 2004

can be used to test **transformation** results and preview the generated ...

www.ecrion.com/XF/TechnicalResources/XFNETTutorial.aspx - 81k - Nov 15, 2005 -

[Cached](#) - [Similar pages](#)

[Conformance Assessment of HomeSite 4.0.1](#)

4.5 Allow the author to **transform** presentation markup or misused markup [Priority 3]:

While ... Needed to use JAWS cursor to **review** full context of window. ...

www.w3.org/WAI/AU/reviews/homesite - 59k - [Cached](#) - [Similar pages](#)

[Amazon.com: XML Bible \(2nd Edition\): Books](#)

Write an online **review** and share your thoughts with other customers. ... Everyone keeps

talking about how XML will **transform** the web, but most books are ...

www.amazon.com/exec/obidos/tg/detail/-/0764547607?v=glance - 90k - Nov 15, 2005 -

[Cached](#) - [Similar pages](#)

[\[PDF\] Microsoft PowerPoint - 4-SNBA_Client Forum EDS 11 June 2004_final. ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **transformation** => Business Sponsor is owner of business case ... 2.7 **Reporting** 3.

Additional Information ... List of tools used 3.3 **Templates List** of templates used ...

eds.ch/fileadmin/countries/eds_ch/ portfolio/air_transportation/SNBA.PDF - Supplemental Result - [Similar pages](#)

[PDF] [Universities](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

universities **report** plans to initiate email. newsletters. ... already radically **transforms** the way. you communicate within the office. It's ...

hosting.bronto.com/5002-bd8d5192/ website/documents/papers/brontoineducation.pdf -

[Similar pages](#)


[incorrect-icon-loading](#) - kde.me.uk

find name of icon for "Object Frame > **Report** Template Generator" ... find icon names for "Transform", "Close Path" kompare - "blend url with diff" ...

www.kde.me.uk/index.php?page=incorrect-icon-loading - 12k - [Cached](#) - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

+~templates ~list" +~transform +~report - Google Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [New!](#) [more »](#)

"~templates ~list" ~transform ~report

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 276 for "[~templates ~list](#)" [~transform](#) [~report](#). (0.34 seconds)

[2005-09-02 Danilo Šegan <danilo@gnome.org> * login.py ...](#)
view.py, list.py, [templates/list.tmpl](#): Added login handling. 2005-09-02
Danilo Šegan ... [xslt/db2html.xsl](#): **Transform** DocBook subset to HTML. ...
cvs.gnome.org/viewcvs/sarma/ChangeLog?rev=1.16 - 4k - Nov 14, 2005 -
[Cached](#) - [Similar pages](#)

[Microsoft Visio 2002 Resource Kit: Chapter 11 - Corporate Error ...](#)

With Corporate Error **Reporting**, administrators can then **review** the types of program ... that Office10.adm is included in the Current Policy **Templates list**. ...

[www.microsoft.com/technet/prodtechnol/Visio/visio2002/reskit/CH11.mspx](#) - 55k - [Cached](#) - [Similar pages](#)

[Microsoft - Reporting Office Application Crashes](#)

... adm is included in the Current Policy **Templates list**. 3. ... entries vital to controlling the **reporting** of crash ... be deployed to users through a **transform** (MST file ...
[www.microsoft.com/resources/documentation/office/xp/all/reskit/en-us/adma05.mspx](#) - 39k - Supplemental Result
- [Cached](#) - [Similar pages](#)

[Altova StyleVision XSLT Design for Word/RTF](#)

Design multiple stylesheets and database **reports** with ease using Altova ... It's easy to **transform** XML and database data into Word documents or RTF (Rich ...
[www.altova.com/features_XSLT_RTF_s.html](#) - 31k - [Cached](#) - [Similar pages](#)

[Altova StyleVision XSL:FO Design](#)

Transformation from an XML format to PDF format is a commonly performed operation ...
StyleVision® 2005 populates the global **templates list** with the global ...
[www.altova.com/features_XSLFO_s.html](#) - 28k - Nov 14, 2005 - [Cached](#) - [Similar pages](#)

[XF.NET SDK Tutorial and QuickStarts](#)

Send error **reports**, feature requests, and comments about the SDK ... XF Designer 2004 can be used to test **transformation** results and preview the generated ...
[www.ecrion.com/XF/TechnicalResources/XFNETTutorial.aspx](#) - 81k - Nov 15, 2005 -
[Cached](#) - [Similar pages](#)

[Conformance Assessment of HomeSite 4.0.1](#)

4.5 Allow the author to **transform** presentation markup or misused markup [Priority 3]:
While ... Needed to use JAWS cursor to **review** full context of window. ...
[www.w3.org/WAI/AU/reviews/homesite](#) - 59k - [Cached](#) - [Similar pages](#)

[PDF] [Microsoft PowerPoint - 4-SNBA_Client Forum EDS 11 June 2004_final. ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **transformation** => Business Sponsor is owner of business case ... 2.7 **Reporting** 3.
Additional Information ... List of tools used 3.3 **Templates List** of templates used ...
[eds.ch/fileadmin/countries/eds_ch/portfolio/air_transportation/SNBA.PDF](#) - Supplemental Result - [Similar pages](#)

Sponsored Links

[Report Templates](#)

Upgrade the look of your reports
Works with Microsoft Office
WriteExpress.com

[Report Template](#)

Find **report** template at Plexxa
Fast, accurate results!
[www.plexxa.com](#)

[Report Template](#)

Examples for **Report** Template
Query VBA Form **Report** Code help
[www.BlueClaw-DB.com](#)

Amazon.com: XML Bible (2nd Edition): Books

Write an online **review** and share your thoughts with other customers. ... Everyone keeps talking about how XML will **transform** the web, but most books are ...

www.amazon.com/exec/obidos/tg/detail/-/0764547607?v=glance - 90k - Nov 15, 2005 -

[Cached](#) - [Similar pages](#)


phpMySearch manual

To **transform** PDF files into HTML you can use this url: ... After this, you can decide how many outputs of your **statistics** you'd like to have shown into the ...

www.desertmuseum.org/search/manual/ - 30k - [Cached](#) - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

"~templates ~list" ~transform ~rep [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



USPTO

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)
Search: ☒ The ACM Digital Library ☐ The Guide

+"~templates ~list" +~transform +~report

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used [~templates](#) [~list](#) [~transform](#) [~report](#)

Found 10 of 166,357

Sort results
by

relevance

Display
results

expanded form

[Save results to a Binder](#)[Search Tips](#)☐ Open results in a new windowTry an [Advanced Search](#)Try this search in [The ACM Guide](#)

Results 1 - 10 of 10

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Statistical and learning methods I: A report of recent progress in transformation-based error-driven learning](#)

Eric Brill

March 1994 **Proceedings of the workshop on Human Language Technology HLT '94****Publisher:** Association for Computational LinguisticsFull text available: [pdf\(534.46 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

Most recent research in trainable part of speech taggers has explored stochastic tagging. While these taggers obtain high accuracy, linguistic information is captured indirectly, typically in tens of thousands of lexical and contextual probabilities. In [Brill 92], a trainable rule-based tagger was described that obtained performance comparable to that of stochastic taggers, but captured relevant linguistic information in a small number of simple non-stochastic rules. In this paper, we describe ...

2 [Transformation-based error-driven learning and natural language processing: a case study in part-of-speech tagging](#)

Eric Brill

December 1995 **Computational Linguistics**, Volume 21 Issue 4**Publisher:** MIT PressFull text available: [pdf\(1.43 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)
[Publisher Site](#)

Recently, there has been a rebirth of empiricism in the field of natural language processing. Manual encoding of linguistic information is being challenged by automated corpus-based learning as a method of providing a natural language processing system with linguistic knowledge. Although corpus-based approaches have been successful in many different areas of natural language processing, it is often the case that these methods capture the linguistic information they are modelling indirectly in la ...

3 [Beyond schema evolution to database reorganization](#)



Barbara Staudt Lerner, A. Nico Habermann

September 1990 **ACM SIGPLAN Notices , Proceedings of the European conference on object-oriented programming on Object-oriented programming systems, languages, and applications OOPSLA/ECOOP '90**, Volume 25 Issue 10**Publisher:** ACM PressFull text available: [pdf\(979.63 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index](#)

terms

While the contents of databases can be easily changed, their organization is typically extremely rigid. Some databases relax the rigidity of database organization somewhat by supporting simple changes to individual schemas. As described in this paper, OTGen supports not only more complex schema changes, but also database reorganization. A database administrator uses a declarative notation to describe mappings between objects created with old versions of schemas and their corresponding repre ...

4 XML query forms (XQForms): declarative specification of XML query interfaces



Michalis Petropoulos, Vasilis Vassalos, Yannis Papakonstantinou
April 2001 **Proceedings of the 10th international conference on World Wide Web**

Publisher: ACM Press

Full text available:  [pdf\(515.35 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)


Keywords: XML, XML query language, XSL, query forms & reports

5 System descriptions: New York University: description of the PROTEUS system as used for MUC-3



Ralph Grishman, John Sterling, Catherine Macleod
May 1991 **Proceedings of the 3rd conference on Message understanding MUC3 '91**

Publisher: Association for Computational Linguistics

Full text available:  [pdf\(442.98 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)


The PROTEUS system which we have used for MUC-3 has three main components: a syntactic analyzer, a semantic analyzer, and a template generator.

6 A law-based approach to object-oriented programming



Naftaly H. Minsky, David Rozenstein
December 1987 **ACM SIGPLAN Notices , Conference proceedings on Object-oriented programming systems, languages and applications OOPSLA '87**, Volume 22 Issue 12

Publisher: ACM Press

Full text available:  [pdf\(1.07 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


The central idea behind this paper is that the discipline governing the exchange of messages between objects should be specifiable by the programmer in the form of an explicit law of the system. We show how, starting from a very primitive foundation, which presumes neither encapsulation nor inheritance, one can establish various forms of both, as well as other useful disciplines, simply by means of appropriate laws.

7 PYTHIA-II: a knowledge/database system for managing performance data and recommending scientific software



Elias N. Houstis, Ann C. Catlin, John R. Rice, Vassilios S. Verykios, Naren Ramakrishnan, Catherine E. Houstis
June 2000 **ACM Transactions on Mathematical Software (TOMS)**, Volume 26 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(796.18 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Often scientists need to locate appropriate software for their problems and then select from among many alternatives. We have previously proposed an approach for dealing with this task by processing performance data of the targeted software. This approach has



been tested using a customized implementation referred to as PYTHIA. This experience made us realize the complexity of the algorithmic discovery of knowledge from performance data and of the management of these data together with the d ...

Keywords: data mining, inductive logic programming, knowledge discovery in databases, knowledge-based systems, performance evaluation, recommender systems, scientific software

8 A tool framework for static and dynamic analysis of object-oriented software with templates


Kathleen A. Lindlan, Janice Cuny, Allen D. Malony, Sameer Shende, Forschungszentrum Juelich, Reid Rivenburgh, Craig Rasmussen, Bernd Mohr
November 2000 **Proceedings of the 2000 ACM/IEEE conference on Supercomputing (CDROM)**

Publisher: IEEE Computer Society


Full text available:  [pdf\(2.67 MB\)](#)  Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
[Publisher Site](#)

The developers of high-performance scientific applications often work in complex computing environments that place heavy demands on program analysis tools. The developers need tools that interoperate, are portable across machine architectures, and provide source-level feedback. In this paper, we describe a tool framework, the Program Database Toolkit (PDT), that supports the development of program analysis tools meeting these requirements. PDT uses compile-time information to create a comp ...

9 Synthesis of custom processors based on extensible platforms

 Fei Sun, Srivaths Ravi, Anand Raghunathan, Niraj K. Jha
November 2002 **Proceedings of the 2002 IEEE/ACM international conference on Computer-aided design**

Publisher: ACM Press


Full text available:  [pdf\(328.04 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Efficiency and flexibility are critical, but often conflicting, design goals in embedded system design. The recent emergence of extensible processors promises a favorable tradeoff between efficiency and flexibility, while keeping design turnaround times short. Current extensible processor design flows automate several tedious tasks, but typically require designers to manually select the parts of the program that are to be implemented as custom instructions. In this work, we describe an automatic ...

10 A video retrieval and sequencing system

 Tat-Seng Chua, Li-Qun Ruan
October 1995 **ACM Transactions on Information Systems (TOIS)**, Volume 13 Issue 4

Publisher: ACM Press

Full text available:  [pdf\(3.20 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Video is an effective medium for capturing the events in the real world around us, and a vast amount of video materials exists, covering a wide range of applications. However, widespread use of video in computer applications is often impeded by the lack of effective tools to manage video information systematically. This article discusses the design and implementation of a frame-based video retrieval and sequencing system (VRSS). The system is designed to support the entire process of video ...

Keywords: cinematic rules, frame-based modeling, multimedia, video retrieval, virtual editing

Results 1 - 10 of 10

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((templates list<and>report<and>transform)<in>metadata)"

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2005 IEEE – All Rights Reserved

Indexed by
 Inspec®

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	864658	transform\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 08:49
L3	336728	report\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 08:49
L4	148626	templat\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 08:49
L5	98	2 same L3 same L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 08:53
L6	22	US-6502102-\$.DID. OR US-5842193-\$.DID. OR US-6477575-\$.DID. OR US-6851108-\$.DID. OR US-5644686-\$.DID. OR US-6574621-\$.DID. OR US-6360332-\$.DID. OR US-6758683-\$.DID. OR US-6778979-\$.DID. OR US-6732090-\$.DID. OR US-6148402-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 08:51
L7	6	(us-20020080938-A1 us-20020095399-A1 us-20020013782-A1).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 08:52
L8	14	6 xor 7 6 and 7	US-PGPUB; USPAT	OR	ON	2005/11/16 08:52
L9	0	5 and 8	US-PGPUB; USPAT	OR	ON	2005/11/16 08:53
L10	7	2 and 8	US-PGPUB; USPAT	OR	ON	2005/11/16 08:53
L11	22269	2 and L3 and L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 09:15
L12	3	11 and 8	US-PGPUB; USPAT	OR	ON	2005/11/16 08:53

L13	45	5 and @ad<="20010510"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 09:15
L14	21	2 with L3 with L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 09:15
L15	3	14 and @ad<="20010510"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/16 09:15